



BLACKSHEET PRIMER®

BITUMEN EMULSION PRIMER

DESCRIPTION

Blacksheet Primer is a liquid applied, low viscosity bitumen solution.

Blacksheet Primer is used to prime concrete, brickwork and blockwork prior to the application of Blacksheets membranes and other bitumen coatings. Applied by brush, roller or airless spray.

APPLICATIONS

As part of composite waterproofing systems, Blacksheets Primer is applied to :

- Concrete Roofs/Podiums
- Concrete Floor Slabs
- Internal Wet Areas
- Basements
- Masonry Structures

ADVANTAGES

- Highly penetrative. Strengthens porous substrates.
- Simple and rapid application.
- Overcoat in 2 hours in ventilated conditions.
- Provides temporary waterproofing until subsequent coatings are applied.

INSTALLATION

Preparation

New concrete, screed or render should have a brushed or wood float finish, and should be free from contamination by any material which could impair adhesion. All surface defects should be repaired by approved methods. Protrusions greater than 3mm should be removed.

Existing concrete, screed or render should be well prepared to provide a dense, defect free substrate. Brickwork, blockwork and masonry should be flush pointed.

All substrates should be dry.

Application

Apply using a wide nylon brush, sheepskin disposable rollers or airless spray.

LIMITATIONS

The product must not be applied in wet conditions.

CLEANING

Clean tools using white spirit or Hydrocarbon solvent.



BLACKSHEET PRIMER®

TECH DATA continued...



TECHNICAL DATA

Form:	Black Liquid
Specific Gravity:	0.90
Non-Volatile Content:	55%
Solvent Type:	Aromatic Hydrocarbon
Overcoat Time:	2-4 hours
Max. Service Temp:	80°C

SIZE & PACKAGING

Materials Supplied

Blacksheet Primer is supplied in 5 litre metal tubs.

Coverage

Dense Concrete	0.125 litres/m ² 40 m ² / tub
Porous Concrete	0.25 litres/m ² 20 m ² / tub
Lightweight Screed	0.5 litres/m ² 10 m ² / tub

HEALTH & SAFETY

There are no health & safety implications in the normal use of this product.

NOTES

This data sheet is for general guidance purposes only and may contain information that is inappropriate for certain conditions of use. Accordingly, all recommendations and suggestions are made without guarantee.

Further information is available from our technical department.



Birch House, Scotts Quays

